

DP-51 Spray Can

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: DP-51 Spray Can
SDS Number: DP-51 SC
Revision Date: 6/14/2022
Product Use: NDT Inspection Visple Penetrant, Methods A and C
Supplier Details:
Sherwin Inc.
5530 Borwick Avenue
South Gate, CA 90280
Phone:
Email: 562-861-6324
Internet: sherwin@sherwininc.com
www.sherwininc.com
Emergency telephone number:

ChemTel 1-800-255-3924 in U.S.A, Canada, Puerto Rico and US Virgin Islands;
ChemTel +1-813-248-0585 outside U.S.A, Canada, Puerto Rico and US Virgin Islands
ChemTel Brazil: 0-800-591-6042, China: 400-120-0751, India: 000-800-100-4086 and Mexico: 01-800-099-0731

2 HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Aspiration hazard, 1
Health, Serious Eye Damage/Eye Irritation, 1
Physical, Flammable Aerosols, 1
Health, Skin corrosion/irritation, 2
Health, Reproductive toxicity, 2
Health, Specific target organ toxicity - Repeated exposure, 2

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **DANGER**

GHS Hazard Pictograms:



GHS Hazard Statements:

H304 - May be fatal if swallowed and enters airways
H318 - Causes serious eye damage
H222 - Extremely flammable aerosol
H229 - Pressurized container: may burst if heated
H315 - Causes skin irritation
H361 - Suspected of damaging fertility or the unborn child - 2-Naphthalenol, 1-[2-[4-(2-phenyldiazenyl)phenyl]diazenyl]-, ar-heptyl ar',ar"-Me derivs. None of the ingredients are listed as carcinogenic by IARC, NTP or OSHA-Ca
H373 - May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)- 2-Naphthalenol, 1-[2-[4-(2-phenyldiazenyl)phenyl]diazenyl]-, ar-heptyl ar',ar"-Me derivs.

GHS Precautionary Statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash ... thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P281 - Use personal protective equipment as required.
P301 + P312 - IF SWALLOWED: Call a POISON CENTER/ doctor/...if you feel unwell.
P302 + P352 - IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.



DP-51 Spray Can

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 - IF exposed or concerned: Call a POISON CENTER/doctor/...
P370 + P378 - In case of fire: Use dry chemical, alcohol resistant foam or dry sand to extinguish.
P403 + P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

3 COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Chemical Ingredients:
	% Chemical Name:
68476-86-8	40-50% Propane/ Isobutane
84133-50-6	10-30% Alcohols, C12-14-secondary, ethoxylated
64742-47-8	10-30% Distillates (petroleum), hydrotreated light
64742-53-6	<3% Distillates (petroleum), hydrotreated light naphthenic
92257-31-3	<3% 2-Naphthalenol, 1-[2-[4-(2-phenyldiazenyl)phenyl]diazenyl]-, ar-heptyl ar',ar"-Me derivs.

4 FIRST AID MEASURES

Inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

Skin Contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids to facilitate irrigation. Get immediate medical attention.

Ingestion: Clean mouth with water. Keep respiratory tract clear. Do NOT induce vomiting or attempt chemical neutralization. If symptoms persist, call a physician.

5 FIRE FIGHTING MEASURES

Flash Point: >93°C (>200°F) DP-51 liquid

Flash Point Method: ASTM D-56

Autoignition Temp: Not determined

Lower Explosive Limit: Propellant: 1.8% (vol.) Gas in air

UEL: Propellant: 9.5%(vol.) gas in air

Suitable extinguishing agents: Alcohol resistant foam, dry chemical, carbon dioxide

Special hazards arising from the substance or mixture: Spray can under pressure. Carbon monoxide and carbon dioxide

Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit

Unsuitable extinguishing media: High volume water jet

Further information: Do not allow run-off from fire-fighting to enter drains or water courses. Use a water spray to cool fully closed containers.

DP-51 Spray Can

6 ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures:** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- Environmental precautions:** Do not allow to enter storm sewers/ surface or ground water.
- Methods and material for containment and cleaning up:** Collect liquid in an appropriate container or absorb with an inert material such as vermiculite, dry sand, or earth; DO NOT use combustible materials. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation..Place in a chemical waste container.

7 HANDLING AND STORAGE

- Handling Precautions:** Keep away from sources of ignition. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes. Avoid breathing vapor or mist. Use only outdoors or in a well-ventilated area or with appropriate respiratory equipment. Do not swallow. When using do not eat, drink or smoke. (See section 8)
- Storage Requirements:** Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Keep containers upright to prevent leakage. Containers may be hazardous when empty since residue liquid may be present

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Controls:** Provide adequate ventilation for work and storage areas.
- Personal Protective Equipment:** Chemical resistant gloves;
Chemical safety glasses;
General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits.
Where concentrations are above recommended limits, use an organic vapor respirator with dust, mist, and fume filters;
Impervious clothing.
- Exposure Limits:**
- | CAS NO. | COMPONENT | TLV(STEL) | ACGIH |
|------------|----------------|-----------|----------|
| 68476-86-8 | Propane/butane | 1000 ppm | OSHA PEL |
| | | TWA | |
- Personal Protective Equipment:** Chemical resistant gloves;
Chemical safety glasses;
General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits, use an organic vapor respirator with dust, mist, and fume filters;
Impervious clothing



DP-51 Spray Can



General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Do not inhale gases / fumes / aerosols.
Wash hands before breaks and at the end of work.
Avoid contact with eyes and skin.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Red Liquid	Odor:	Liquid - Mild
Physical State:	Liquid in a spray can under pressure	Solubility:	Soluble in water
Spec Grav./Density:	Liquid - 0.89	Flash Point:	> 93 °C (> 199 °F) (ASTM D-93), Liquid
Viscosity:	Kinematic at 37.8 °C (100 °F): 5.8 cSts (ASTM D455), DP-51	Vapor Density:	> 1 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0) Liquid
Boiling Point:	240°C (464°F), Liquid	Auto-Ignition Temp:	Not determined
Vapor Pressure:	< 0.1 mmHg @ 20 °C (68 °F) Liquid	UFL/LFL:	No data available
pH:	Not determined		
Evaporation Rate:	Not determined		

10 STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction under normal use.
Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid Identification:	Elevated temperatures
Materials to Avoid Identification:	Strong Acids; Strong Bases Strong Oxidizing Agents.
Hazardous Decomposition:	Carbon oxides, sulphur oxides
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

Risk of serious damage to eyes.
Irritating to skin.

Acute oral toxicity: LD/50 (Rat) estimated >2000 mg/kg
Acute dermal toxicity: LD/50 (Rabbit) estimated >2000 mg/kg
Acute inhalation toxicity: 64742-47-8 LC50: >0.5 mg/l
LC50 Rat (1 hour): > 24.1 mg/l

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Additional toxicological information:

The product shows the following dangers according to manufacturer approved calculation methods for preparations:



DP-51 Spray Can

Carcinogenic Status:

Contains Naphthalene. Naphthalene is classified as carcinogenic by IARC (Group 2B) and NTP (Group 2-Reasonably anticipated). Contains an o-Toluidine-based azo dye. Metabolic studies on some Azo-dyes, following prolonged skin or oral cavity contact, have detected reduction of azo bonds to aromatic amines. This product, therefore, could potentially metabolize to o-toluidine and o-aminoazotoluene upon prolonged skin or oral cavity contact. o-Toluidine and o-aminoazotoluene have been identified as animal carcinogens.

Reproductive effects:

May affect reproductive system. Contains: a version of 2-Naphthalenol,1-[[4-(phenylazo)phenyl]azo]-,arheptyl ar',ar"-me derivatives. A reproductive screening study in rats with some versions of 2-Naphthalenol,1-[[4-(phenylazo)phenyl]azo]-,ar-heptyl ar',ar"-me derivatives produced adverse effects on reproduction [ovarian atrophy; reduced litter size; reduced pup weight with no apparent abnormal morphology of the surviving pups] at 20 and 80 mg/kg/day. The relevance of these findings for humans is uncertain, but may be predictive of the potential to cause harm.

STOT - single exposure: No data available

STOT - repeated exposure: No data available

12

ECOLOGICAL INFORMATION

Ecotoxicity

84133-50-6 Secondary alcohol ethoxylates : LC50/96h: 3.5 - 4.9 mg/l (Fish)
EC50/48h: 3.1 mg/l (daphnia)

64742-47-8 Distillates, petroleum, hydrotreated: Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

13

DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local, state and federal regulations

Empty containers may retain product residue (liquid and/or vapor) and can be dangerous.

14

TRANSPORT INFORMATION

DOT, IATA, IMDG

UN1950, aerosols,flammable, 2.1

15

REGULATORY INFORMATION

TSCA All components are on the Inventory list

US federal regulations

CERCLA Hazardous Substance List (40 CFR 302.4)



DP-51 Spray Can

This material does not contain any components with a CERCLA RQ.

SARA 311/312 Hazard classes

Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 313 (TRI reporting)

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.


California Prop 65

This material does not contain any chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm at concentrations that trigger the warning requirements of California Proposition 65.

16

OTHER INFORMATION

NFPA: Health = 2, Fire = 4, Reactivity = 0, Specific Hazard = n/a



This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Author: Sherwin Inc.

Publication Date: June 14, 2022

Revision No. 0

Revision Date: 6/14/2022